




ADATA[®]

CONSUMER PRODUCT CATALOG





ENGAGEMENT BEYOND LIMITS

Global Memory and Storage Leadership

Founded in 2001, ADATA has become one of the biggest and most successful providers of DRAM, Flash, and external hard drive products worldwide. ADATA's success is built on meticulous attention to detail, technical expertise, and a passion for making life better for people everywhere. We highly value advanced research, design, manufacturing, and quality assurance facilities. ADATA products are designed, made, and tested in-house, giving full control over the entire process. Leadership starts at home, and at ADATA, so does the desire to deliver the finest technology.

Major Awards



iF Product Design Award 2019



iF Design Award China 2019



reddot Design Award 2019



Good Design Award 2017, Japan



Taiwan Excellence Award 2019



Computex Taipei Design & Innovation Award



Computex Taipei Best Choice 2019



Good Design Korea



CES AWARD 2018



International CES Innovations Design and Engineering Awards



Golden Pin Design Award 2018



No.1 Flash Drive Retailer



No.3 in Businessweek's Info Tech 100 among Taiwan companies



CES Best of Innovations Award 2007



Top 20 Taiwan Global Brands



External SSD

Evolution Accelerated

SE800



512GB 1TB



- With a USB-C port and delivers 1000MB/s read/write
- Built with advanced 3D NAND Flash
- IPX8 standard: submerged in 1.5 meters of water for 60 minutes
- IP6X standard: dust tight
- Military-grade shock resistance (1.22m)
- Dimensions: 72.7 x 44 x 12.2mm / 2.8 x 1.7 x 0.4inch
- Weight: 40g / 1.4oz



USB-C
Type-C reversible connector



Compact
size



USB 3.2
standard

SE760



240GB 480GB 960GB



- With a USB-C port and delivers 1000/800MB/s read/write
- Built with advanced 3D NAND Flash
- Shock-resistant
- Dimensions: 122 x 44 x 14mm / 4.8 x 1.7 x 0.5inch
- Weight: 90g / 3.1oz

SD700



256GB 512GB 1TB



- Read/write speeds up to 440MB/s
- Built with advanced 3D NAND Flash
- IPX8 standard: 1.5 meters water for 60 minutes
- IP6X standard: dust-tight
- Military-grade shock resistance (Drop from 1.22m)
- Dimensions: 83.5 x 83.5 x 13.9mm / 3.3 x 3.3 x 0.5inch
- Weight: 75g / 2.6oz

SC680



240GB 480GB 960GB



- With a USB-C port and delivers 550/500MB/s read/write
- Built with advanced 3D NAND Flash
- Rugged reliability
- Shock-resistant
- Dimensions: 86.7 x 61 x 10mm / 3.4 x 2.4 x 0.4inch

SD600Q



240GB 480GB 960GB



- Read/write speeds up to 440MB/s
- Built with advanced 3D NAND Flash
- Rugged reliability
- Military-grade shock resistance (1.22m)
- Dimensions: 80 x 80 x 15.2mm / 3.1 x 3.1 x 0.6inch
- Weight: 60g / 2.1oz



External HDD

Keep Your Adventures Alive

HD770G



1TB 2TB



- World's first durable HDD with Multi-colored RGB lighting with flow effect
- Exceeds IPX8 standard: submerged in 2 meters for 120 minutes
- IP6X standard: dust-tight
- Military-grade shock resistance (1.22m)
- Triple-layer protection
- Dimensions: 139 x 98 x 26mm / 5.5 x 3.9 x 1inch
- Weight: 1/2TB: 270g / 9.5oz

HD830



2TB 4TB 5TB



- Pressure-resistant (3000kg)
- Exceeds IPX8 standard: submerged in 2 meters for 120 minutes
- IP6X standard: dust-tight
- Military-grade shock resistance (1.22m)
- Dimensions: 140 x 96.2 x 33mm / 5.5 x 3.8 x 1.3inch
- Weight: 2TB: 490g / 17.3oz 4/5TB: 600g / 21.2oz

HD710 Pro



1TB 2TB 4TB 5TB



- IPX8 standard: submerged in 2 meters of water for 60 minutes
- IP6X standard: dust-tight
- Exceeds military-grade shock resistance (1.5m)
- Dimensions:
 - 1/2TB: 133.3 x 98.5 x 21.5mm / 5.2 x 3.9 x 0.8inch
 - 4/5TB: 133.3 x 98.5 x 26.7mm / 5.2 x 3.9 x 1.1inch
- Weight: 1/2TB: 270g / 9.5oz 4/5TB: 390g / 13.7oz

HD650



1TB 2TB 4TB



- Triple-layer protection
- High-grade silicone case with carbon fiber pattern
- Scratch-resistant surface
- Dimensions:
 - 1/2TB: 121 x 81 x 21mm / 4.8 x 3.2 x 0.8inch
 - 4TB: 126.8 x 81 x 27.8mm / 5.2 x 3.8 x 1inch
- Weight: 1/2TB: 201g / 7.1oz 4TB: 390g / 13.7oz

HD680



1TB 2TB



- Military-grade shock resistance (1.22m)
- Cable management
- Triple-layer protection
- High-grade silicone case with carbon fiber pattern
- Scratch-resistant surface
- Dimensions: 124 x 101.7 x 22.9mm / 4.8 x 4 x 0.9inch
- Weight: 270g / 9.5oz

HV320



1TB 2TB 4TB 5TB



- Ultra-slim 10.7mm design
- Dimensions:
 - 1/2TB: 125.7 x 80.5 x 10.7mm / 4.9 x 3.1 x 0.4inch
 - 4/5TB: 125.7 x 80.5 x 19mm / 4.9 x 3.1 x 0.7inch
- Weight: 1/2TB: 180g / 6.3oz 4/5TB: 285g / 10.1oz

HV620S



1TB 2TB 4TB



- Ultra-slim 11.5mm design
- Raised edges protect surface areas
- Dimensions:
 - 1/2TB: 115 x 78 x 11.5 mm / 4.5 x 3 x 0.4inch
 - 4TB: 115 x 78 x 21mm / 4.5 x 3.1 x 0.8inch
- Weight: 1/2TB: 152g / 5.4oz 4TB: 230g / 8.1oz

HM800



4TB 6TB 8TB



- TV recording support
- One-touch backup and synchronizing
- AES 256 Encryption
- Dimensions: 177.3 x 117 x 34mm / 7 x 4.6 x 1.3inch
- Weight: 4TB: 1108.5g / 39oz 6TB: 1173g / 41oz 8TB: 1303g / 46oz



Power Bank

Keeping Mobility Going

Power Bank

S20000D



- 20000mAh capacity
- Digital display for precise charge status
- Dual USB fast charging ports (total 2.1A)
- Built-in LED flashlight
- Multi-level circuit protection
- Dimensions: 78 x 150 x 27mm / 3 x 5.9 x 1inch
- Weight: 420g / 14.8oz


Power Bank

P10050C



- 10050mAh capacity
- Dual USB ports (total 2.4A)
- Built-in LED flashlight
- Multi-level circuit protection
- Simultaneous charging and discharging
- Dimensions: 106 x 67 x 27mm / 4.1 x 2.6 x 1inch
- Weight: 230g / 8.1oz

S10000



- 10000mAh capacity
- 14.8mm slim design
- Integrated hanging loop
- Dual USB fast charging ports (total 2.1A)
- Multi-level circuit protection
- Dimensions: 73 x 130 x 14.8mm / 2.8 x 5.1 x 0.5inch
- Weight: 195g / 6.8oz

P10050V



- 10050mAh capacity
- Dual USB fast charging ports (total 2.4A)
- Built-in LED flashlight
- Multi-level circuit protection
- Dimensions: 107 x 66 x 26mm / 4.2 x 2.6 x 1inch
- Weight: 220g / 7.7oz

Power Bank

P10000



Mosaic
Design

Multiple Circuit Protection

- 10000mAh capacity
- Dual USB fast charging ports (total 2.1A)
- Multi-level circuit protection
- Dimensions: 137 x 61.2 x 22mm / 5.4 x 2.4 x 0.8inch
- Weight: 290g / 8.8oz

Power Bank

P20000D



20000mAh
Capacity

Digital
Display

LED
Flashlight

- 20000mAh capacity
- Digital display for precise charging status
- Dual USB fast charging ports (total 2.1A)
- Multi-level circuit protection
- Built-in LED flashlight
- Dimensions: 163 x 80.6 x 23.3mm / 6.4 x 3.1 x 0.9inch
- Weight: 450g / 15.8oz

P5000



Light
Weight

Counterfeit
Money Detector

- 5000mAh capacity
- Anti-counterfeit money detector LED
- Multi-level circuit protection
- Output: 5V = 1.0A
- Dimensions: 99 x 43 x 22mm / 3.9 x 1.7 x 0.8inch
- Weight: 117g / 4.1oz

D8000L



LED 4
Modes

IP54
Water/Dust Resistant

- 8000mAh capacity
- Two LED lighting colors:
white (6000K) / warm white (3000K)
- LED lighting capable of 200 lumen brightness
- Dual USB fast charging ports (total 2.1A)
- Multi-level circuit protection
- Dimensions: 154 x 75 x 23.3mm / 6 x 2.9 x 0.9inch
- Weight: 270g / 9.5oz

Wireless Charger

CW0100



- Optimised for Fast Charging, support both Apple(7.5W) & Samsung(10W)
- 7.5mm slim design
- Premium quality zinc-alloy base
- Advanced safety mechanisms
- Support Qi-certified devices
- Dimensions: 100 x 100 x 7.5mm / 3.9 x 3.9 x 0.3inch
- Weight: 148g / 5.2oz



"Qi" is a standard defined by WPC (Wireless Power Consortium).
This wireless charging pad has passed Qi certification, ensuring compatibility with Qi-certified mobile phones.




Charging Station / Car Charger

CU0480QC



- 5 USB Ports with total output of up to 48W max. (USB-C*1, USB-A*4)
- Qualcomm Quick Charge 3.0 technology
- Dimensions: 63.7 x 63.7 x 54.6mm / 2.5 x 2.5 x 2.1inch
- Weight: 350g / 12.3oz

CV0525



- 5 USB ports with Quick Charge 3.0 extension hub
- Smart IC chip for intelligent voltage detection
- Detachable clip and 1.8m cable provide port access to back seat passengers
- Dimensions:
Main: 76 x 45 x 25mm / 3.0 x 1.7 x 1inch
Extended: 83 x 58 x 16mm / 3.2 x 2.2 x 0.6inch
- Weight: 145g / 5.1oz



USB Flash Drive

USB Flash Drive

Digital Lifestyle Companions

UE700 Pro



USB 3.2


↓
↑ **Ultra Slim**

- (256GB model) Read/write speeds up to 360/180 MB/s
- Etched aluminum housing
- Ultra-slim 7mm and elegant design
- Capless design with a retractable USB connector
- Dimensions: 63 x 23 x 7mm / 2.5 x 0.9 x 0.3 inch
- Weight: 11g / 0.4oz

32GB 64GB 128GB 256GB

 107,100 Photos
(Size: 3MB)

 55 Hours
(1920x1080)

 87,800 Songs
(4min/128Kbp)

UV250



16GB 32GB 64GB

USB 2.0

- Sandblasted metallic finish and sleek edges
- Sturdy zinc-alloy housing
- Lanyard hole for easy carrying
- Dimensions: 42.4 x 14.95 x 5.35mm / 1.7 x 0.6 x 0.2inch
- Weight: 5.6g / 0.2oz

UV131



16GB 32GB 64GB

USB 3.2

- Sturdy zinc-alloy housing
- One-piece capless design
- Unique race car-inspired design
- Dimensions: 44.2 x 16.85 x 8mm / 1.7 x 0.66 x 0.3inch
- Weight: 8g / 0.28oz

UV240



8GB 16GB 32GB 64GB

USB 2.0

- Flip-cap design to prevent misplaced caps
- Lanyard hole for easy carrying
- Dimensions: 54.6 x 19.2 x 8.3mm / 2.2 x 0.8 x 0.3inch
- Weight: 7g / 0.24oz

UV130



8GB 16GB 32GB

USB 2.0

- Sturdy zinc-alloy housing
- One-piece capless design
- Unique race car-inspired design
- Dimensions: 44.2 x 16.85 x 8mm / 1.7 x 0.66 x 0.3inch
- Weight: 8g / 0.28oz

USB Flash Drive

UV320



16GB 32GB 64GB 128GB

USB 3.2

- Retractable USB connector to prevent cap loss
- Dimensions: 55 x 19.5 x 10.2mm / 2.2 x 0.8 x 0.4inch
- Weight: 7.9g / 0.27oz

USB Flash Drive

UV330



16GB 32GB 64GB 128GB

USB 3.2

- Capless design with a retractable USB connector
- Scratchproof and dust-repellent
- Dimensions: 55 x 22.1 x 9.5mm / 2.2 x 0.9 x 0.4inch
- Weight: 9.9g / 0.35oz

UV220



8GB 16GB 32GB 64GB

USB 2.0

- Retractable USB connector to prevent cap loss
- Dimensions: 55 x 19.5 x 10.2mm / 2.2 x 0.8 x 0.4inch
- Weight: 7.9g / 0.27oz

UV230



16GB 32GB 64GB

USB 2.0

- Capless design with a retractable USB connector
- Scratchproof and dust-repellent
- Dimensions: 55 x 22.1 x 9.5mm / 2.2 x 0.9 x 0.4inch
- Weight: 9.9g / 0.35oz

UD330



16GB 32GB 64GB 128GB

USB 3.2

- Water- and impact-resistant
- COB (Chip On Board) build enhances durability
- Convenient folding-cap design
- Dimensions: 32.4 x 18.6 x 12.2mm / 1.3 x 0.7 x 0.5inch
- Weight: 4g / 0.14oz

UD230



16GB 32GB 64GB

USB 2.0

- Water- and impact-resistant
- COB (Chip On Board) build enhances durability
- Convenient folding-cap design
- Dimensions: 32.4 x 18.6 x 12.2mm / 1.3 x 0.7 x 0.5inch
- Weight: 3.9g / 0.14oz



SD Card / Micro SD Card

Preserving Your Memories

microSDXC UHS-II Class 10



64GB 128GB 256GB

Read **275MB/s** **4K/8K** ULTRA HD **V90**

- Supports SD 4.0 UHS-II standard
- High compatibility across multiple devices: smartphones, tablets, digital cameras, and video recorders
- Rugged durability: waterproof, shockproof, anti-static, X-ray proof, and wide temperature support (-25°C to 85°C)

microSDXC/SDHC UHS-I Class 10




16GB 32GB 64GB 128GB 256GB 512GB

Read **100MB/s** **4K** ULTRA HD **V30** **A2** APP PERFORMANCE

- Supports SD 6.0 standard
- High compatibility across multiple devices: smartphones, tablets, dash recorder, motion camera and drone
- Rugged durability: waterproof, shockproof, anti-static, X-ray proof, and wide temperature support (-25°C to 85°C)
- Store thousands of photos and hours of Full HD video

microSDXC/SDHC UHS-I Class 10 High Endurance



32GB 64GB 128GB 256GB 512GB

Read **100MB/s** **4K** ULTRA HD **V30** **A2** APP PERFORMANCE

- Supports SD 6.0 standard
- High compatibility across multiple devices: smartphones, tablets, dash recorder, motion camera and drone
- Rugged durability: waterproof, shockproof, anti-static, X-ray proof, and wide temperature support (-25°C to 85°C)
- Store thousands of photos and hours of Full HD video

microSDXC/SDHC UHS-I Class 10



16GB 32GB 64GB 128GB 256GB

Video **FULL HD** Read **100MB/s** **V10** **A1** APP PERFORMANCE

- Supports SD 5.1 standard
- High compatibility across multiple devices: smartphones, tablets, dash recorder
- Rugged durability: waterproof, shockproof, anti-static, X-ray proof, and wide temperature support (-25°C to 85°C)
- Store thousands of photos and hours of Full HD video

microSDXC/SDHC UHS-I Class 10



16GB 32GB 64GB



- Supports SD 3.0 standard
- High compatibility across multiple devices: smartphones, tablets, dash recorder
- Rugged durability: waterproof, shockproof, anti-static, X-ray proof, and wide temperature support (-25°C to 85°C)
- Store over 15,000 photos and 8 hours of Full HD video

SDXC UHS-I Class 10(V30S)



64GB 128GB 256GB 512GB



- Supports Ultra HD 4K and Full HD 1080p recording and playback
- Complies with UHS-I Speed Class 3 performance for DSLR and DSLM cameras and 4K camcorders
- Rugged durability: waterproof, shockproof, anti-static, X-ray proof, and wide temperature support (-25°C to 85°C)
- Store thousands of photos and hours of Full HD video

SDXC UHS-II Class 10



64GB 128GB 256GB



- Supports SD 4.0 UHS-II standard and V90 video speed class
- Ideal for professional DSLR, Full HD/UHD 4K/8K camcorders and 3D camcorders for video recording and burst mode photography
- Rugged durability: waterproof, shockproof, anti-static, X-ray proof, and wide temperature support (-25°C to 85°C)

SDXC/SDHC UHS-I Class 10



16GB 32GB 64GB




- Supports SD 3.0 standard
- Complies with UHS-I Speed Class 3 performance for DSLR, Full HD Camcorders and digital cameras
- Rugged durability: waterproof, shockproof, anti-static, X-ray proof, and wide temperature support (-25°C to 85°C)
- Store over 15,000 photos and 8 hours of Full HD video



Solid-State Drive

Get Your Life Up to Speed

SU900 2.5" SSD



256GB 512GB 1TB

**3D
NAND**



Multimedia



**Heavy
Workloads**

- Advanced 3D MLC NAND Flash
- SMI controller
- R/W performance up to 560/525 MB/s
- Intelligent SLC caching and DRAM cache buffer
- LDPC error correcting code technology
- Dimensions: 100.45 x 69.85 x 7mm / 3.9 x 2.7 x 0.2inch
- Weight: 47.5g / 1.68oz



High TBW




Shorter boot time



High capacity

Solid State Drives

SU800 2.5" SSD




256GB 512GB 1TB 2TB



- Advanced 3D NAND Flash
- SMI controller
- R/W performance up to 560/520 MB/s
- Intelligent SLC caching and DRAM cache buffer
- LDPC error correcting code technology
- Dimensions: 100.45 x 69.85 x 7mm / 3.9 x 2.7 x 0.2inch
- Weight: 47.5g / 1.68oz

Solid State Drives

SU650 2.5" SSD



120GB 240GB 480GB 960GB



- 3D NAND Flash
- R/W performance up to 520/450 MB/s
- Intelligent SLC caching
- LDPC error correcting code technology
- Dimensions: 100.4 x 69.8 x 7mm / 3.9 x 2.7 x 0.2inch
- Weight: 47.5g / 1.6oz

SU750 2.5" SSD



256GB 512GB 1TB



- Advanced 3D NAND Flash
- R/W performance up to 550/520 MB/s
- Supports SLC Caching for improved performance
- Advanced LDPC ECC
- Dimensions: 100.4 x 69.8 x 7mm / 3.9 x 2.7 x 0.2inch
- Weight: 47.5g / 1.6oz

SU630 2.5" SSD



240GB 480GB 960GB



- 3D QLC NAND Flash
- R/W performance up to 520/450 MB/s
- Supports SLC Caching for improved performance
- Advanced LDPC ECC
- Dimensions: 100.4 x 69.8 x 7mm / 3.9 x 2.7 x 0.2inch
- Weight: 47.5g / 1.6oz

M.2 2280 SSD SU800



128GB 256GB 512GB 1TB

3D NAND  **Ultrabook Notebook**

- Advanced 3D NAND Flash
- SMI controller
- Advanced LDPC ECC technology
- Intelligent SLC Caching and DRAM Cache Buffer
- Dimensions: 22 x 80 x 3.5mm / 0.8 x 3.1 x 0.1inch
- Weight: 8g / 0.2oz

M.2 2280 SSD SU650



120GB 240GB 480GB

3D NAND  **Ultrabook Notebook**

- Advanced 3D NAND Flash
- Maxiotek controller
- Advanced LDPC ECC technology
- Intelligent SLC Caching
- Dimensions: 22 x 80 x 3.5mm / 0.8 x 3.1 x 0.1inch
- Weight: 7g / 0.2oz

PCIe Gen3x4 M.2 2280 SX8200 Pro



256GB 512GB 1TB 2TB

3D NAND  **Multimedia**  **Heavy Workloads**

- Advanced 3D NAND Flash
- R/W performance up to 3500/3000 MB/s
- Supports E2E Data Protection and RAID Engine
- Advanced LDPC ECC
- Dimensions: 22 x 80 x 3.5mm / 0.8 x 3.1 x 0.1inch
- Weight: 8g / 0.28oz

 **Shorter boot time**

 **High capacity**

 **Reliability**

PCIe Gen3x4 M.2 2280 SX6000 Pro



256GB 512GB 1TB



- Advanced 3D NAND Flash
- R/W performance up to 2100/1500 MB/s
- Supports SLC Caching for improved performance
- Advanced LDPC ECC
- Dimensions: 22 x 80 x 2.15mm / 0.8 x 3.1 x 0.08inch
- Weight: 8g / 0.28oz

PCIe Gen3x4 M.2 2280 SX6000 Lite



128GB 256GB 512GB 1TB



- Advanced 3D NAND Flash
- R/W performance up to 1800/1200 MB/s
- Supports SLC Caching for improved performance
- Advanced LDPC ECC
- Dimensions: 22 x 80 x 2.15mm / 0.8 x 3.1 x 0.08inch
- Weight: 8g / 0.28oz



DRAM Module

Upgrade Your Productivity

Desktop DDR4 U-DIMM



4GB 8GB 16GB



- Module Specification: 288pin Unbuffered DIMM
- Speed: Up to 2666MHz
- VDD&VDDQ: 1.2V + 5% / -5%
- VPP: 2.5V + 10% / -5%
- Operating Temperature: 0°C ~+85°C
- Capacity: 4GB / 8GB / 16GB

Enterprise / Server R-DIMM



4GB 8GB 16GB 32GB



- Module Specification: 288pin Register DIMM
- Speed: Up to 2666MHz
- VDD&VDDQ: 1.2V + 5% / -5%
- VPP: 2.5V + 10% / -5%
- Operating Temperature: 0°C ~+85°C
- Capacity: 4GB / 8GB / 16GB / 32GB

Notebook DDR4 SO-DIMM



4GB 8GB 16GB



- Module Specification: 260pin SO-RDIMM
- Speed: Up to 2666MHz
- VDD&VDDQ: 1.2V + 5% / -5%
- VPP: 2.5V + 10% / -5%
- Operating Temperature: 0°C ~+85°C
- Capacity: 4GB / 8GB / 16GB

Enterprise / Server VLP R-DIMM



4GB 8GB 16GB



- Module Specification: 288pin Register DIMM
- Speed: Up to 2666MHz
- VDD&VDDQ: 1.2V + 5% / -5%
- VPP: 2.5V + 10% / -5%
- Operating Temperature: 0°C ~+85°C
- Capacity: 4GB / 8GB / 16GB

Enterprise / Server Wide Temp SO-DIMM



4GB 8GB 16GB



- Module Specification: 260pin Wide Temp SO-DIMM
- Speed: Up to 2666MHz
- VDD&VDDQ: 1.2V + 5% / -5%
- VPP: 2.5V + 10% / -5%
- Operating Temperature: -40°C~+85°C
- Capacity: 4GB / 8GB / 16GB

Enterprise / Server VLP ECC-DIMM



4GB 8GB 16GB



- Module Specification: 288pin ECC-DIMM
- Speed: Up to 2666MHz
- VDD&VDDQ: 1.2V + 5% / -5%
- VPP: 2.5V + 10% / -5%
- Operating Temperature: 0°C~+85°C
- Capacity: 4GB / 8GB / 16GB

Enterprise / Server ECC SO-DIMM



4GB 8GB 16GB



- Module Specification: 260pin ECC SO-DIMM
- Speed: Up to 2666MHz
- VDD&VDDQ: 1.2V + 5% / -5%
- VPP: 2.5V + 10% / -5%
- Operating Temperature: 0°C~+85°C
- Capacity: 4GB / 8GB / 16GB

Enterprise / Server ECC-DIMM



4GB 8GB 16GB



- Module Specification: 288pin ECC-DIMM
- Speed: Up to 2666MHz
- VDD&VDDQ: 1.2V + 5% / -5%
- VPP: 2.5V + 10% / -5%
- Operating Temperature: 0°C~+85°C
- Capacity: 4GB / 8GB / 16GB

Headquarters

Taipei

T: +886-2-8228-0886
E: adata@adata.com

Asia

Beijing, China

T: +86-10-5128-6922
E: adata_bj@adata.com

Tokyo, Japan

T: +81-3-5807-0011
E: adata_jp@adata.com

Shanghai, China

T: +86-21-6233-1010
E: adata_sh@adata.com

Seoul, Korea

T: +82-80-710-4226
E: adata_kr@adata.com

Shenzhen, China

T: +86-755-8882-3637
E: adata_sz@adata.com

Mumbai, India

T: +91-22-4286-8888
E: adata_in@adata.com

Hong Kong, China

T: +852-2127-7072
E: adata_hk@adata.com

Americas

Los Angeles, USA

T: +1-714-332-8708
E: adata_usa@adata.com
Toll Free: +1-888-YO-ADATA (96-23282)

Miami, USA

T: +1-305-716-0188
E: adata_latin@adata.com

Mexico City, Mexico

T: +52-55-5543-7427
E: adata_mx@adata.com

Santo Antonio de Posse, Brazil

T: +55-19-3199-0886
E: vendas_br@adata.com

Europe

Hoofddorp, Netherlands

T: +31-23-5689203
E: adata_europe@adata.com

Ratingen, Germany

T: +49-2102-420-717
E: adata_europe@adata.com

Manufacturing Facilities

Suzhou, China

T: +86-512-6593-0886
E: adata@adata.com

São Paulo, Brazil

T: +55-19-3115-5267
E: adata@adata.com



www.adata.com

Copyright 2019 by ADATA Technology Co., Ltd.
All rights reserved.
All brand names are registered trademarks
of their respective owners.